Subject Index
Heat Transfer Research
Volume 25, Nos. 1-8, 1993

Ablation: **4**, 515-519, 520-524; **5**, 689-693
Ablation thermal protection: **4**, 561-564
Absorbing media: **3**, 410-414
Acoustics: **3**, 352-355
Air jet cooling: **6**, 816-824
Alternative fuels: **1**, 73-81
Asymmetric wall heating: **3**, 313-320
Asymptotic theory of the turbulent boundary layer: **3**, 340-346

Batch metallurgical furnaces: **1**, 7-13
Biomass combustion: **1**, 73-81
Blowing: **7**, 899-906
Boiler water deaeration: **1**, 57-60
Boilers: **3**, 418-424
Boiling: **5**, 638-640; **6**, 725-727, 728-731, 738-741, 747-750, 751-753, 754-759, 760-764, 786-789, 836-840; **7**, 872-878
Boiling flow: **4**, 449-454
Boiling heat transfer: **1**, 97-101
Boiling stability: **6**, 732-737
Boundary layer flow: **5**, 656-664
Boundary-layer pressure gradients: **3**, 304-307
Bubble dynamics: **6**, 760-764; **7**, 872-878
Burnout protection: **6**, 732-737

Calculation of mixture properties: **5**, 701-707
Capillary flow: **8**, 950-953
Capillary porous media: **8**, 954-956, 957-961
Capillary porous structures: **8**, 938-944
Capillary porous surfaces: **6**, 852-855
Cavities: **5**, 615-619
Cement production: **4**, 551-555
Ceramic combustors: **4**, 569-571
Channel flow: **3**, 321-324; **5**, 620-624, 625-628, 634-637; **6**, 738-741, 841-845; **7**, 867-871
Chemical kinetics: **6**, 790-793
Chemically reacting boundary layers: **3**, 380-384; **4**, 520-524
Chemically reacting flows: **3**, 375-379; **4**, 511-514, 525-528; **7**, 862-866
Circulating systems: **3**, 361-364
Coal combustion: **3**, 418-424
Combination surface and spray condensers: **1**, 57-60
Combined conduction-convection: **3**, 347-351
Combined convection radiation: **5**, 679-684
Combined convection-radiation: **3**, 425-428
Combined convection radiation measurements: **4**, 540-545
Combined heat and mass transfer: **4**, 511-514; **5**, 689-693
Combined heat transfer: **5**, 669-673
Combined radiation-convection: **3**, 415-417
Combustion: **3**, 361-364, 389-392, 415-417; **4**, 525-528, 529-533; **6**, 782-785
Combustion heat transfer: **1**, 14-18
Combustion-products analysis: **4**, 576-580
Compact heat exchangers: **8**, 945-949
Completeness of combustion in fluidized-bed furnaces: **1**, 137-143
Computational modeling: **7**, 918-921
Condensation: **5**, 714-717; **6**, 765-769, 790-793, 798-805
Condensation of steam-air mixtures: **1**, 61-66
Condensation on porous packing: **1**, 61-66
Conjugate problem: **3**, 347-351
Contact condensation: **1**, 61-66
Convection heat transfer: **8**, 970-874
Convective boiling: **6**, 773-777
Cooling gas films: **3**, 300-303
Cooling of electronic components: **1**, 92-96
Cooling of turbomachinery: **1**, 19-21
Coupled systems: **5**, 674-678
Critical flow: **4**, 445-448
Critical heat flux: **6**, 754-759, 806-809, 852-855
Cross flow: **5**, 629-633
Crown fires: **5**, 679-684
Cryocondensation: **5**, 714-717
Cryogenic fluids: **6**, 841-845
Crystal growth: **4**, 496-500
Curvature effects: **5**, 646-650

Degradation: **7**, 913-917

Design of flow-transfer systems evaporator stages: **1**, 125-130
Disperse flows: **3**, 389-392; **5**, 685-688
7, 918-921
Disperse material: **6**, 794-797
Dispersed flow: **6**, 742-746; **7**, 894-898
Dispersed systems: **7**, 922-924
Dissociation: **4**, 551-555
Distributed-parameter control systems: **1**, 144-148
Distribution of heat transfer coefficients on fins: **6**, 825-835
Distributor of average velocities across boundary layers: **1**, 102-108
Downward-facing surfaces: **6**, 754-759
Drag effects in heat pipes: **4**, 455-461
Droplets: **8**, 966-969
Dropwise condensation: **1**, 82-86
Dryout: **4**, 439-444; **6**, 732-737
Duct baffling: **4**, 482-490

Effect of air-fuel ratio on heat transfer: **1**, 14-18
Effect of gravity on heat transfer: **1**, 131-136
Efficient fuel utilization in natural gas-fired furnaces: **1**, 7-13
Electronic cooling: **8**, 938-944
Emissivity: **1**, 137-143
Emulsions: **6**, 786-789
Energy conservation: **4**, 572-575
Enhanced heat transfer: **5**, 718-723; **6**, 725-727, 728-731, 786-789
Enhancement: **5**, 620-624
Enhancement of convective heat transfer: **1**, 22-56
Enhancement of laminar heat transfer: **5**, 581-588
Erosion: **4**, 556-560
Evaporation: **6**, 790-793; **8**, 966-969
Evaporation and condensation: **5**, 718-723
Experimental heat transfer: **8**, 934-937
Extraction of latent heat of melting: **4**, 572-575

Film boiling: **4**, 439-444; **6**, 732-737, 742-746, 798-805; **7**, 907-912
Filtration: **8**, 970-874
Finite element analysis: **3**, 425-428
Finned convex heat transfer walls: **6**, 816-824
Finned sections for thermal protection of adiabatic walls: **3**, 300-303
Finned surfaces: **8**, 975-979
Finned tubes: **5**, 665-668
Finned-tube bundles: **6**, 825-835
Fires: **3**, 415-417
Flame radiation: **3**, 393-397; **4**, 529-533
Flames: **3**, 415-417; **4**, 546-550
Flash evaporators: **1**, 125-130
Flashing of liquids: **4**, 445-448
Flight data: **3**, 329-334
Flow boiling: **5**, 651-655
Flow modeling: **6**, 778-781
Flow models: **1**, 87-91
Flow over cylinders: **5**, 604-614, 656-664
Flow separation from rough walls: **1**, 22-56
Fluid beds: **6**, 782-785; **8**, 934-937
Fluidized bed furnaces: **1**, 137-143
Fluidized beds: **3**, 361-364; **4**, 551-555; **6**, 794-797; **7**, 899-906, 907-912; **8**, 922-924
Forced connection flow: **5**, 589-603
Forced convection: **3**, 321-324; **4**, 439-444
Forced convection boiling: **6**, 841-845
Forest fires: **5**, 679-684
Free convection: **7**, 888-893; **8**, 986-990
Free-convection boiling: **6**, 732-737
Free-stream turbulence: **5**, 604-614
Friction and heat transfer on fitted walls: **1**, 22-56
Fuel tanks: **4**, 496-500
Furnaces: **3**, 406-409, 418-424

Gas turbine blading: **4**, 468-481
Gas-air mixture: **8**, 975-979
Gas-solid flow: **4**, 515-519
Gas-solid interfaces: **5**, 714-717
Gas-solid multiphase flow: **8**, 930-933
Gaseous-film cooling efficiency: **3**, 295-299
Gaseous radiation: **3**, 406-409, 418-424
Gasification: **3**, 385-388
Geothermal heater/cooler: **5**, 708-713
Gray gas: **4**, 534-539

Hardening: **7**, 913-917
Heat and mass transfer: **3**, 380-384
Heat exchangers: **5**, 718-723
Heat flux variation: **5**, 589-603
Heat pipe heat transfer coefficients: **4**, 455-461
Heat pipe wicks: **4**, 455-461
Heat pipes: **1**, 131-136; **8**, 938-944, 962-965
Heat shield: **4**, 515-519
Heat transfer and drag in cyclone chambers: **1**, 119-124
Heat transfer and drag of curved bodies: **5**, 656-664

Heat transfer augmentation by duct baffling: **4**, 482-490
Heat transfer coefficient: **7**, 899-906
Heat transfer-drag analogy: **5**, 581-588
Heat transfer enhancement: **3**, 308-312, 335-339; **5**, 629-633, 634-637, 638-640; **6**, 773-777, 810-815, 852-855
Heat transfer in arc discharges: **4**, 565-568
Heat transfer in flow-reattachment zones: **3**, 340-346
Heat transfer in fluidized beds: **1**, 1-6
Heat transfer in turbines: **4**, 468-481
Heat transfer to porous wick structures: **1**, 131-136
Heat transfer tubes with grooves and fins: **3**, 308-312

Heating of ingots: **1**, 119-124
Helical channels: **5**, 646-650
High area/volume ratio exchangers: **4**, 491-495
High temperature flows: **4**, 556-560
High temperatures: **5**, 689-693
High-temperature combustion chambers: **4**, 569-571
High-turbulence nozzle and duct flow: **3**, 295-299
Holography: **8**, 954-956
Hot spots in fuel bundles: **1**, 67-72
Hydraulic drag: **6**, 738-741
Hydraulic drag in baffled ducts: **4**, 482-490
Hydraulic resistance: **7**, 884-887
Hydrocarbon fuels: **3**, 385-388

Ignition: **4**, 529-533
Infrared heating: **3**, 398-401
Injectionless film cooling: **3**, 300-303
Insulation: **8**, 986-990
Interaction of convection and radiation: **5**, 669-673
Interface between liquids inflow and at rest: **1**, 102-108
Interfacial phenomena: **8**, 954-956
Interferometry: **7**, 888-893
Internal heat sources: **7**, 879-883
Inverted meniscus wicks: **4**, 455-461

Jet flow: **3**, 352-355; 365-369; **5**, 685-688
Jets: **6**, 751-753, 765-769; **7**, 894-898

Knudsen number: **8**, 966-969

Laser: **7**, 884-887
Laser diagnostics: **4**, 520-524
Laser radiation: **4**, 525-528
Layer furnace radiant heat transfer: **3**, 393-397
Liquid helium: **6**, 798-805
Liquid vapor flow: **6**, 778-781
Long-lasting hydrophobic coatings: **1**, 82-86
Low-drag exchangers: **4**, 491-495

Mass transfer: **8**, 930-933
Mass transfer in non-Newtonian flow: **4**, 462-467
Mathematical modeling: **5**, 651-655
Mathematical models: **7**, 894-898
Mathematical simulation: **6**, 747-750
Maximum permissible heat flux density: **4**, 439-444
Metal coating of waterwalls: **1**, 116-118
Metal rolling: **1**, 144-148
Metastable boiling: **1**, 97-101
Micro channel flow: **8**, 945-949
Minimization of ingot-surface scale: **1**, 144-148
Minimization of venting losses from closed vessels: **3**, 429-437
Mirrors: **7**, 884-887
Mixing condenser: **1**, 57-60
Mixing-length models: **3**, 304-307
Mixing-type condensed: **1**, 61-66
Multiphase flow: **7**, 907-912
Multiphase systems: **8**, 922-924
Multiple attractors: **4**, 525-528

Natural circulation: **6**, 773-777
Natural convection: **8**, 957-961
Natural-convection flow: **3**, 313-320
Non-Newtonian fluids: **7**, 857-861, 862-866
Non-Newtonian liquids: **7**, 879-883
Nonequilibrium flows: **3**, 365-369
Nonequilibrium pipe flow: **4**, 449-454
Nonequilibrium pressures: **6**, 751-753
Nonequilibrium processes: **6**, 765-769
Nonequilibrium systems: **6**, 747-750
Nonuniform heating: **6**, 806-809
Nozzle flow: **3**, 352-355; **6**, 760-764
Nuclear reactors: **6**, 778-781
Nucleate boiling: **8**, 957-961
Nucleate sites: **6**, 836-840

Optical studies: **3**, 385-388
Optimization: **3**, 425-428
Oscillations: **6**, 794-797; **8**, 975-979
Oval-profiled tubes: **5**, 665-668

Packed beds: **4**, 507-510
Peak power demand reduction: **5**, 708-713

Perforated plates: **3**, 389-392
Periodicity of near-critical process: **6**, 732-737
Permeability and loss-angle tangent of cooling water: **1**, 109-115
Perturbation of gaseous cooling film by free-stream turbulence: **3**, 295-299
Phase change: **8**, 962-965
Phase transition: **7**, 922-924
Phase transition in liquefy gases: **3**, 429-437
Pipe flow: **4**, 439-444
Plasma: **3**, 365-369; **5**, 685-688
Plasma heat transfer: **3**, 402-405
Plastic pipe manufacture: **6**, 816-824
Plate-fin exchangers: **4**, 491-495
Plating: **3**, 370-374
Polymer melts: **8**, 980-982
Polymer solutions: **7**, 872-878, 913-917
Polymers: **7**, 888-893; **8**, 950-953, 983-985
Porous media: **4**, 507-510; **8**, 945-949, 950-953, 970-874, 986-990
Porous surfaces: **6**, 836-840
Porous wall cooling: **7**, 884-887
Portable mass spectrometer: **4**, 576-580
Postburnout heat transfer: **6**, 742-746
Power saving: **5**, 708-713
Prediction of combined heat transfer: **5**, 669-673
Prediction of electrophysical properties of industrial water: **1**, 109-115
Prediction of thermophysical properties of refrigerant mixtures: **5**, 701-707
Premixing burners: **1**, 14-18
Pressure drop: **6**, 846-851
Pressure drop in orifices: **1**, 87-91
Pulsating flows: **7**, 879-883; **8**, 980-982
Pyrolysis: **4**, 561-564

Quenching: **8**, 922-924

Radiation: **7**, 922-924
Radiation convection interaction: **3**, 402-405
Radiation differential approximation: **3**, 410-414
Radiation-conduction interaction: **3**, 410-414
Radiation-convection interaction: **4**, 534-539
Radiative heat transfer in high-temperature fluidized bed: **1**, 137-143
Radiative transfer: **3**, 398-401, 406-409, 410-414; **5**, 674-678
Recirculating batch furnaces: **1**, 7-13
Rectangular ducts: **5**, 641-645
Reduction of abrasion by fly ash: **1**, 116-118
Reduction of condensed area: **1**, 82-86
Refrigerant: **5**, 638-640
Relation of heat transfer to turbulence: **6**, 825-835
Residence times of particle packets in moving beds **1**, 1-6
Resonance phenomena: **4**, 546-550
Rheodynamics: **4**, 462-467
Rocket heat transfer: **3**, 329-334
Rotating burners: **1**, 73-81
Rotating channel: **5**, 641-645
Rotating disks: **8**, 983-985
Rotating systems: **7**, 857-861

Secondary flows in turbine blade passages: **4**, 468-481
Separated flows: **5**, 615-619; 625-628
Separation of heat transfer-enhancement effects: **3**, 308-312
Simultaneous free and forced convection: **3**, 325-328
Skin friction and heat transfer of cylinders in turbulent flow: **5**, 604-614
Slip velocity: **6**, 846-851
Slot cooling: **3**, 335-339
Slug flow: **4**, 445-448
Soaps: **3**, 375-379
Solar heat: **4**, 572-575
Solid fuels: **6**, 782-785
Solid gaseous flows: **3**, 356-360
Solid-gaseous flows: **3**, 402-405; **4**, 556-560
Sorption-desorption: **8**, 930-933
Space heating: **4**, 572-575
Space heating/cooling: **5**, 708-713
Space systems: **5**, 674-678
Special surfaces: **5**, 620-624
Sphere packing: **4**, 507-510
Spouting beds: **3**, 361-364
Stability: **4**, 525-528, 546-550
Stagnation flows: **3**, 356-360
Steel-making: **8**, 922-924
Storage of cryogenic liquids: **3**, 429-437
Subcooled boiling: **1**, 97-101
Sudden load increase in boiling: **1**, 97-101
Sugarcane bagasse utilization: **1**, 73-81
Supersonic flow: **3**, 329-334; 356-360
Swirling flow: **6**, 806-809
Swirling flows: **4**, 511-514; **6**, 810-815

Taylor-Gortler vortices: **3**, 340-346

Temperature control: **1**, 144-148
Temperature fluctuations: **4**, 501-506; **5**, 625-628
Temperature maintenance in underground spacers: **1**, 19-21
Temperature profiles: **3**, 325-328
Textiles: **3**, 398-401
Thermal conductivity of solids at low temperature: **5**, 694-700
Thermohydraulics of bundle flow distribution: **1**, 67-72
Thermophysical properties: **5**, 694-700
Thixotropic liquids Non-Newtonian fluids: **7**, 867-871
Three phase systems: **3**, 375-379
Transient behavior: **8**, 962-965
Transient heat transfer: **3**, 347-351; **7**, 918-921
Transients in unsteady flow: **3**, 304-307
Transition: **5**, 646-650
Transverse variation of heat transfer coefficients: **3**, 340-346
Tube bundles: **5**, 629-633, 665-668; **8**, 934-937
Tube flow: **4**, 501-506; **6**, 770-772
Turbine operation improvement: **1**, 57-60
Turbulence: **4**, 501-506
Turbulence in arc flow: **4**, 565-568
Turbulence in tube bundles: **6**, 825-835
Turbulence promoters: **5**, 581-588
Turbulent boundary layer: **4**, 534-539
Turbulent boundary-layer flow: **1**, 102-108
Turbulent flow: **3**, 313-320; **5**, 615-619, 641-645
Turbulent heat transfer: **3**, 304-307
Two-phase channel flow: **6**, 846-851
Two-phase flow: **4**, 449-454, 540-545; 634-637 **6**, 770-772, 810-815
Two-phase flow resistance: **1**, 87-91
Two-phase media: **3**, 406-409
Two-step ingot heating: **1**, 144-148
Uniform temperature distribution in furnaces: **1**, 7-13
Unstable local heat transfer augmentation: **4**, 565-568
Unsteady heat transfer: **3**, 321-324
Unsteady heat transfer and friction in pipe and nozzle flows: **3**, 304-307
Unsteady mass transfer: **4**, 462-467

Vapor deposition: **3**, 370-374
Vapor-liquid equilibria: **5**, 701-707
Vapor lock: **4**, 445-448
Vapor removal in heat pipes: **4**, 455-461
Vapor-side condensation rates: **1**, 82-86
Vaporization of metastable superheated liquids: **3**, 429-437
Velocity and temperature fluctuations in vertical tube flow: **5**, 589-603
Vertical channel flows: **3**, 325-328
Vertical slot: **3**, 313-320
Vibrations: **4**, 496-500; **6**, 725-727, 728-731, 770-772
Viscoelastic: **8**, 983-985
Viscoplastic fluids: **7**, 857-861; **8**, 980-982
Void fraction: **5**, 651-655
Vortex chambers with central inserts: **1**, 119-124
Vortex sheets: **1**, 102-108
Vortices in gas turbine: **4**, 468-481

Wall jet: **3**, 335-339
Wall roughness: **1**, 22-56
Wall slip: **7**, 862-866
Wear protection of boiler tubes: **1**, 116-118

Zinc selenide: **3**, 370-374